

Contact Information

41 Coxwell Ave.
Toronto, Ontario
Canada, M4L 3A9
Phone: 416-690-3196
Toll Free Tel: 877-690-3196
Fax: 416-690-0932
Toll Free Fax: 866-690-0932


info@tinlee.com
www.tinlee.com

Map




Designed especially for GTA Cable, and
HDTV Antenna Signal Distribution.

From
\$168.00




Outputs
Power
Input Level Control
Input

TA-25-RP-8
\$219.00



Output
Input

TA-25-RP
\$168.00




1 Outputs 2
3 Outputs 4
Input Level Control
Input

TA-25-RP-4
\$188.00


Designed especially for GTA Cable, and
HDTV Antenna Signal Distribution.

From
\$168.00




Outputs
Power
Input Level Control
Input

TA-25-RP-8
\$219.00



Output
Input

TA-25-RP
\$168.00




1 Outputs 2
3 Outputs 4
Input Level Control
Input


TA-25-RP-4
\$188.00

ELIMINATE
WEAK & SNOWY
PICTURE QUALITY

From




To



GET THE *FULL*
PICTURE

TIN LEE Electronics has the Solution
“Experience the Difference”
TV / Communications Systems Equipment Manufacturer since 1968



Tin Lee Electronics Ltd.

Contact Information

41 Coxwell Ave.
Toronto, Ontario
Canada, M4L 3A9
Phone: 416-690-3196
Toll Free Tel: 877-690-3196
Fax: 416-690-0932
Toll Free Fax: 866-690-0932


info@tinlee.com
www.tinlee.com

Map

How the TA-25-RP Works For You

Model TA-25-RP

TA-25-RP amplifiers are designed for residential cable TV systems requiring higher signal strength, long cable runs, and large screen televisions. The TA-25-RP amplifiers are available in three models to suit any residential need and optimize your TV viewing experience. The TA-25-RP series is an exclusive Tin Lee Electronics line and is not available from regular TV stores.



TA-25-RP
Single Output

TA-25-RP-4
Four Outputs

TA-25-RP-8
Eight Outputs

Features

- Easy to install and includes adjustable and precise input level control
- Up to 8 high level outputs (up to +20 dBmV) at a 200 ft. cable run (16 output configuration for shorter cable runs)
- Excellent Front End Low Noise / High Gain Amplifier Stage
- High sensitivity improves quality of weak cable TV Signal (0dBmV)
- High Gain (+24 dB) and low noise (2.5 dB) will optimize big screen picture quality
- Digital cable ready (Bi-Directional capability)
- Powered with UL approved AC power adapter
- Built in Toronto for GTA cable systems - 2 year Warranty

Make Your Signal Go Further

Use a TA-25-RP amplifier when splitting cable TV signals to clean up snowy (analog) or pixellating (digital) picture quality. The TA-25-RP amplifier boosts signals for up to 8 outputs, 200 ft. cable runs, further splitting and has plenty of remaining gain for large screen TVs and digital set tops (see fig. I).

Eliminate Noise and Get More Out of Your Big Screen TV

All TV tuners and set-top tuners add noise to the input signal. The TA-25-RP eliminates this noise to provide a clearer picture.

For more information visit our website: www.tinlee.com


Improves Weak Input Signal

With a wide frequency range, the TA-25-RP series strengthens weak input signals (0dB) for higher quality analog and multiple digital set-tops. By proportionally increasing the signal strength over signal noise, the TA-25-RP buffers any signal drop and increases the breakup threshold for better picture quality.

RF characteristics of TA-25-RP series:

High Input Capacity with Input Level Control
= Less Distortion
Low Noise Input = Improves Weak Input
High Gain + Low Noise = Better Analog signal to TV/Set Top Tuner
Reliable Digital Signal (Increased level to buffer any signal level drop)
Flat Broadband Frequency Response 5-42, 54-870 Mhz


Figure I. Cable TV Distribution to Eight Outlets with 200 ft. Cable runs
TA-25-RP-8 (8 Outputs, Digital Set Top Compatible) Bi-Directional TV/RF Distribution Amplifier



How the TA-25-RP Works For You

Model TA-25-RP

TA-25-RP amplifiers are designed for residential cable TV systems requiring higher signal strength, long cable runs, and large screen televisions. The TA-25-RP amplifiers are available in three models to suit any residential need and optimize your TV viewing experience. The TA-25-RP series is an exclusive Tin Lee Electronics line and is not available from regular TV stores.



TA-25-RP
Single Output

TA-25-RP-4
Four Outputs

TA-25-RP-8
Eight Outputs

Features

- Easy to install and includes adjustable and precise input level control
- Up to 8 high level outputs (up to +20 dBmV) at a 200 ft. cable run (16 output configuration for shorter cable runs)
- Excellent Front End Low Noise / High Gain Amplifier Stage
- High sensitivity improves quality of weak cable TV Signal (0dBmV)
- High Gain (+24 dB) and low noise (2.5 dB) will optimize big screen picture quality
- Digital cable ready (Bi-Directional capability)
- Powered with UL approved AC power adapter
- Built in Toronto for GTA cable systems - 2 year Warranty

Make Your Signal Go Further

Use a TA-25-RP amplifier when splitting cable TV signals to clean up snowy (analog) or pixellating (digital) picture quality. The TA-25-RP amplifier boosts signals for up to 8 outputs, 200 ft. cable runs, further splitting and has plenty of remaining gain for large screen TVs and digital set tops (see fig. I).

Eliminate Noise and Get More Out of Your Big Screen TV

All TV tuners and set-top tuners add noise to the input signal. The TA-25-RP eliminates this noise to provide a clearer picture.

For more information visit our website: www.tinlee.com

Improves Weak Input Signal

With a wide frequency range, the TA-25-RP series strengthens weak input signals (0dB) for higher quality analog and multiple digital set-tops. By proportionally increasing the signal strength over signal noise, the TA-25-RP buffers any signal drop and increases the breakup threshold for better picture quality.

RF characteristics of TA-25-RP series:

High Input Capacity with Input Level Control
= Less Distortion
Low Noise Input = Improves Weak Input
High Gain + Low Noise = Better Analog signal to TV/Set Top Tuner
Reliable Digital Signal (Increased level to buffer any signal level drop)
Flat Broadband Frequency Response 5-42, 54-870 Mhz

Figure I. Cable TV Distribution to Eight Outlets with 200 ft. Cable runs
TA-25-RP-8 (8 Outputs, Digital Set Top Compatible) Bi-Directional TV/RF Distribution Amplifier

